

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/657,171	09/09/2003	Roddi James Simpson	0100/0162	1010
21395 LOUIS WOO	7590 01/03/2007	EXAMINER		
LAW OFFICE OF LOUIS WOO			MACNEILL, ELIZABETH	
717 NORTH FAYETTE STREET ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			3767	
	٠.	W		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		01/03/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/657,171	SIMPSON ET AL.			
Office Action Summary	Examiner	Art Unit			
	Elizabeth R. MacNeill	3767			
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING Description of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 08 I	November 2006				
	s action is non-final.				
——————————————————————————————————————	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>10-28</u> is/are pending in the application.					
4a) Of the above claim(s) <u>17 and 25</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>10-16, 18-24 and 26-28</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/	or election requirement.				
Application Papers					
9)☐ The specification is objected to by the Examin	er.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the	e drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a lis	t of the certified copies not receive	ed.			
Attachment(s)	. <del>.</del> .				
1) Motice of References Cited (PTO-892)  4) Interview Summary (PTO-413)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  Paper No(s)/Mail Date.					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of Informal F				
Paper No(s)/Mail Date 6)					

1

### **DETAILED ACTION**

This action is in response to applicant's amendments submitted 8 November 2006.

#### Election/Restrictions

1. This application contains claims 17 and 25 drawn to an invention nonelected with traverse in Paper No. 23 May 2005. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

## Claim Objections

1. Claims 10, 12,13,16,18,20,21,24,27, and 28 are objected to because of the following informalities: whenever the phrase "the housing" is used it should be "the needle protection housing" as there is no antecedent basis for "the housing" in the claims. Appropriate correction is required.

# Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -


(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Application/Control Number: 10/657,171

Art Unit: 3767

2. Claims 10, 12,13,16,18,20,21, and 26-28 are rejected under 35 U.S.C. 102(e) as being anticipated by Ferguson et al (US 7,029,461).

Regarding claims 10,18, and 27 Ferguson teaches a unitary molded syringe (11) having a distal portion, a distal end (see below), a needle hub (see below), an annular space between the needle hub and the distal end (see below), a collar reception mechanism (see below), a collar (12), and a pivotally attached needle protection housing (generally 10) with a slot (36). The annular space is capable of allowing a small compression of the distal end towards the needle hub.



(Taken from Figure 2 of Ferguson et al)

Regarding claims 12, and 20 the needle protection housing has a locking portion (22) which interacts with an other locking portion (20) on the collar.

Regarding claim 13, and 21 there is a catch member (26) to retain the needle (15).

Application/Control Number: 10/657,171 Page 4

Art Unit: 3767

Regarding claim 16,24, and 28 the device includes a living hinge (19) and an opening in the back wall (defined by 54) of the needle protection housing.

Regarding claim 26, a sheath (40) covers the needle before use.

### Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 11,14,15,1922, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ferguson et al as applied to claims 10, 18 and 27 above, and further in view of Hollister (US 5,139,489).

Ferguson teaches the limitations of claims 10,18 and 27 as above, but fails to teach that the collar reception mechanism has groove which engages a protrusion on the collar. Hollister teaches a needle housing (18) with a collar (18b) which fits over a collar retention mechanism (110) which is formed of a plurality of threads (Fig 13A). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the threaded grooves and protrusions of Hollister to secure the collar to the distal end of the syringe in order to more securely attach the collar to the syringe.

#### Response to Arguments

5. Applicant's arguments with respect to claims 10-16, 18-24, and 26-28 have been considered but are most in view of the new ground(s) of rejection.

### Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth R. MacNeill whose telephone number is (571)-272-9970. The examiner can normally be reached on 7:00-3:30pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Sirmons can be reached on (571)272-4965. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

**ERM** 

KEVIN C. SIRMONS SUPERVISORY PATENT EXAMINER